III. *A Catalogue of Fifty Plants from* Chelsea *Garden, presented to the Royal Society for the Year* 1723, *by the Company of Apothecaries of* London, *pursuant to the Direction of Sir* Hans Sloane, *Bart. President of the College of Physicians.*

51. *Abutilon Carolinianum, reptans, Alceæ foliis, gilvo flore.*
52. *Ambrosia, maritima, Artemisiæ foliis inodoris, elatior.* H. L. Bat.
53. *Alysson Veronicæ folio.* T. Inst. 217
Bursa Pastoris major loculo oblongo. C. B. prod.
54. *Aster peregrinus, Cisti folio non crenato, flore magno, luteo.* Pluk. Phyt. T. 16. f. 2.
55. *Aster montanus, Salicis glabro folio.* C. B. 266
56. *Bidens Indica, Hieracii folio, caule alato.* T. Inst. 462.
57. *Blitum monospermum, Indicum, aculeatum,* Breyn. prod. 18.
58. *Blitum quod Amaranthus Græcus, sylvestris, angustifolius.* T. Cor. 17.
59. *Calcitrapoides pumila, supina, tenuifolia, calyce turbinato.* D. Vaillant. Act. Ac. Par.
60. *Cassia decaphylla, Orobi Pannonici foliis mucronatis.*
61. *Cataria major Vulgaris.* T. Inst. 202.
62. —— *angustifolia minor.* Ib.
63. —— *quæ Nepeta Pannonica major & elatior.* H. Ox. 3. 415.
64. —— *Hist-*

The Royal Society is collaborating with JSTOR to digitize, preserve, and extend access to *Philosophical Transactions (1683-1775).* www.jstor.org

64. *Cataria Hiſpanica, Betonicæ folio anguſtiori, flore albo.* T. Inſt. 202.
65. ——— *Luſitanica, erecta, Betonicæ folio, tuberoſa radice.* T. Inſt.
66. ——— *quæ Horminum Spicatum, Lavendulæ flore & odore.* Boccon. rar. 48.
67. ——— *Orientalis, Teucrij folio, Lavendulæ odore, Verticillis florum craſſiſſimis.* T. Cor. 13.
68. *Chryſanthemum tenuifolium, flore bullato aureo.* Barrel. Ic. 450.
69. ——— *flore luteo, aphyllo minore.* Barrel. Icon. 452
70. *Cirſium humile, ramoſum, foliis integris.*
71. *Helianthemum Anglicum, vulgari ſimile, flore ſtellato.*
72 ——— *ampliore folio, flore roſeo.* D. Sherard.
73 ——— *Halimi folio, anguſtiore, acuto. An Ciſtus Halimi folio, 2.* Cluſ. Hiſt. 71.
74. *Hieracium Pyrenaicum Blattariæ folio, minus hirſutum.* Schol. Bot.
75 ——— *Caſtorei odore noſtras. Hieracium Cichorei, vel potius Stæbes folio, hirſutum.* Raij Cat. Cantab.
76. *Lychnis Or. longifolia, nervoſa, flore purpuraſcente.* T. Cor. 24.
77. *Malva Sinenſis, annua, erecta flore minimo. Kitſaitſe dicta.*
78. ——— *Luſitanica, annua, flore parvo ſtriato.*
79. ——— *Sylveſtris, foliis ſinuatis minoribus, floſculis minimis, Anglica.* Boerh. Ind. 2. 268.
80. ——— *Or. erecta, major, flore vix conſpicuo.* D. Sherard.
81. ——— *Erectior, flore magno, ſuave rubente.* T. Cor. 2.

82. *Malva.*

82. *Malva Syriaca, Ela Haur taunal dicta. Malva Cretica, annua, altiſſima, flore parvo, ad alas umbellato.* T. Cor. Ib.
83. *Mimoſa Jamaicenſis Zanon.* Hiſt. 149.
84. *Rhagadiolus alter.* Cæſalp. 511.
85. ——— *Lampſanæ foliis.* T. Cor. 36
86. *Salvia Or. Abſinthium redolens, foliis pinnatis, flore carneo, elatior.* D. Sherard.
87. *Scabioſa annua, Centauroides fiſtuloſa.* H. Cath.
88. ——*Altiſſima, annua, foliis Agrimoniæ nonnihil ſimilibus* H. L. B. 539.
89. *Stachys Cretica.* C. B. 236.
90. ——— *foliis ſub verticillis latioribus, acuminatis, flore majore.*
91. *Stachys major Germanica.* C. B. 236.
92. ——— *Folio obſcurè virente, flore ferrugineo.* H. Ox. 3. 382.
93. ——— *Salviæ folio, flore luteo.* D. Juſſieu.
94. ——— *Elatior flore flaveſcente punctato.*
95. *Vicia, Craccæ majori Germanicæ ſimilis, per omnia minor Anglica.*
96. *Vicia ſupina, latiſſimo folio, non ſerrato.* T. Inſt. 397.
97. ——— ——— ——— *Serrato.* Ib.
98. *Sylveſtris, incana, major, & præcox, Pariſienſis, flore ſuave rubente.* T. Inſt. 397.
99. ——— *Sylvatica maxima.* Phyt. Britan. 129.
——— *Multiflora maxima.* Raij. Syn. 189.
100. ——— *Multiflora, Caſſubica, fruteſcens, Lentis ſiliqua.* Breyn. Prod. 52.